

ADVANTAGE SYNTHETIC BLEND GF-5 MOTOR OILS

OVERVIEW

ADVANTAGE SYNTHETIC BLEND GF-5 PASSENGER CAR ENGINE OILS are specially formulated using synthetic and Group II base oils and high performance additive packages to provide superior performance in gasoline fueled and flex-fueled engines. These oils are formulated for excellent oxidation stability and low temperature properties to insure protection during cold starts.

ADVANTAGE PREMIUM SYNTHETIC BLEND GF-5 engine oils exceed the requirements of ILSAC GF-5 and are "Resource Conserving" for improved fuel economy. .

FEATURES & BENEFITS

ADVANTAGE SYNTHETIC BLEND GF-5 PASSENGER CAR ENGINE OILS are uniquely formulated to help extend engine life, protect against sludge and engine wear, and have high detergency to prevent the formation of harmful deposits. ADVANTAGE SYNTHETIC BLEND GF-5 PASSENGER CAR ENGINE OILS contain frictional reducing additives that allow them to be certified as API SN/Resource Conserving.

APPLICATIONS

ADVANTAGE SYNTHETIC BLEND GF-5 PASSENGER CAR ENGINE OILS are designed to protect and enhance today's modern engines. These fluids are recommended for most all modern passenger cars and light duty trucks and are backwards compatible with most engines manufactured in the last 100 years.

SPECIFICATIONS

API SN, SM, SL, SJ • ILSAC GF-5 • Ford WSS-M2C946-A • Ford WSS-M2C945-A • GM 6094M

TYPICAL PROPERTIES

PRODUCT CODES	590	591	592
SAE Grade	5W-20	5W-30	10W-30
Density	7.16	7.17	7.20
Viscosity, cSt @ 100°C	8.5	10.8	10.4
Viscosity, cSt @ 40°C	47.0	67.0	68.0
Viscosity, CCS, cP @ °C	6200 (-30)	6000 (-30)	6000 (-25)
Viscosity Index	150	160	140
Flash Point, PMCC °C	195	195	200
Pour Point, °C	-41	-41	-32
Zinc, Wt. (%)	0.085	0.085	0.085
Phosphorous, Wt. (%)	0.077	0.077	0.077
NOACK, Wt. (%)	14.5	14.5	14.5
HT/HS, Cp @150°C	2.6	3.0	3.0