Advanced Lubrication Specialties 420 Imperial Court Bensalem, PA 19020 United States Tel: (215) 244-2114

Fax: (215) 244-2118 www.advancedlubes.com



# **ADVANTAGE PREMIUM DRIP OIL 32**

#### **OVERVIEW**

**ADVANTAGE PREMIUM DRIP OIL 32** is produced from the highest quality severely hydrocracked paraffinic Group II petroleum oil. It is clear, mostly odor-free, and has a high viscosity index for stable performance in drip oilers lubricating vertical shaft-driven deep well turbine pumps. Its additive-free formulation will not contaminate underground water supplies and provides excellent performance over temperature changes eliminating the need for multiple lubricants. This is not an H-1 registered food-grade product.

#### **FEATURES & BENEFITS**

**ADVANTAGE PREMIUM DRIP OIL 32** features exceptional oxidation stability, low volatility, and thermal stability. It has a high viscosity index that approaches Group III quality levels. It possesses excellent cold-flow properties ensuring fluidity at low temperature extremes and its purity ensures contamination-free use.

## **APPLICATIONS**

**ADVANTAGE PREMIUM DRIP OIL 32** is recommended for use on shaft-driven deep well turbine pumps that are equipped with a drip oil lubricator. It is also perfectly suitable for a myriad of general-purpose lubrication needs, as its non-detergent formulation provides suitability for use as an R&O, circulating, and compressor fluid where a like viscosity is recommended. Not for use where a food grade H-1 registered product is required.

### **TYPICAL PROPERTIES**

Product Code	1282
Viscosity, cSt @ 100° C	4.60
Viscosity, cSt @ 40° C	23.2
Viscosity Index	114
Flash Point, COC, min	190
Pour Point, min	-18
Color, max	L0.5

