

ADVANTAGE FULL SYNTHETIC UNIVERSAL CVT FLUID

OVERVIEW

ADVANTAGE FULL SYNTHETIC UNIVERSAL CVT FLUID is a superior quality, high performance fluid designed for use in today's metal-belt continuously variable transmissions. Suitable for use in most CVT applications on today's market, ADVANTAGE FULL SYNTHETIC UNIVERSAL CVT FLUID provides superior protection for today's modern vehicles.

FEATURES & BENEFITS

ADVANTAGE FULL SYNTHETIC UNIVERSAL CVT FLUID is specifically designed for both belt and chain driven CVT's and employs the latest additive technology to provide superior protection in all driving conditions. It exhibits superior anti-wear protection, exceptional shear and oxidation stability, and outstanding low-temperature flow characteristics while ensuring optimum component protection

APPLICATIONS

ADVANTAGE FULL SYNTHETIC UNIVERSAL CVT FLUID is specifically designed to covers most all constantly variable transmission applications. This scientifically formulated product is comprised of premium base stocks and the latest additives to provide maximum protection and long life.

SPECIFICATIONS

Audi/VW TL 52180, G052180, G052516 • BMW 8322-0- 136-376, 8322-0-429-154 (EZL 799A) • Daihatsu Amix CVTF-DC, CVTF-DFE* • Dodge/Jeep NS-2, CVTF+4 • Ford CVT23, CVT30, Mercon C, Motorcraft XT-7-QCFT, WSS- M2C933-A • GM/Saturn DEX-CVT, CVTF I-Green2* • Honda HMMF, HCF-2 • Hyundai/Kia SP-CVT 1 • Mazda CVTF 3320 • Mercedes Benz CVT28, 236.20 • Mini Cooper EZL 799A, ZF CVT V1 • Mitsubishi CVTF-J1, CVTF-J4* • Nissan NS-1, NS-2, NS-3* • Punch EZL 799A • Shell Green 1V • Subaru e-CVTF, iCVTF, Lineartonic CVTF, K0425Y0710, CV-30 • Suzuki TC; NS-2, CVT Green 1, CVTF 3320, CVTF Green2* • Toyota TC, FE*

**lower viscosity than this product*

TYPICAL PROPERTIES

PRODUCT CODE	547
Appearance	B&C
Color	L2.0
Brookfield Vis @-40 C	9570
Viscosity, cSt/40°C	33.68
Viscosity, cSt/100°C	7.17
Viscosity Index	184