



Advantage Uni-Syn LV Dexron VI-Mercon LV ATF

ATF Application Chart

Acura ATF-Z1
Aisin Warner JWS 3309 (T-IV) & JWS 3324 (WS), AW-1
Allison C-3 & C-4
American Motors ATF +3 (MS7176-E), ATF +4 (MS9602)
ATF RED 1, RED 1K
Audi 5 HP LT71141 (ZF 5 HP 18FL/19FL/24A)
Audi G 052 162 A1/A2
Audi G 055 025 A2 (JWS 3309)
Audi G 052 162 (ZF Lifeguardfluid 5) (ZF No. S671 090 170)
Audi/VW G 052 990
BMW JWS 3309 (T-IV)
BMW LA2634
BMW LT71141 (ZF 5 HP 18FL/19FL/24A)
BMW ZF 5HP18FL, 5HP24, 5HP30
BMW 7045E
BMW ETL-8072B
BMW MINI
CAT TO-2
Chrysler ATF+, +2, +3 (MS 7176E), +4 (MS 9602)
Chrysler/Dodge MOPAR AS 68 RC (T-IV), JWS 3309
Chrysler/Dodge/Jeep 68043742AA
Daewoo LT 71141
Daihatsu AMMIX ATF D-II
Daihatsu AMMIX ATF D-III SP
Esso LT 71141
FIAT T-IV type, JWS 3309
Ford MERCON®
Ford MERCON® LV (FF-WSS-M2C-938A/SF, XT-10 QLV) License # MLV161105
Ford FNR5
Ford M2C138CJ
Ford M2C166H



**ADVANCED
LUBRICATION
SPECIALTIES**
ISO 9001:2008 Registered

PRODUCT INFORMATION

Ford WSS M2C 138CJ, 166H
Ford WSS M2C 922A1, 924A (XT-8-QAW) JWS 3309
Fuso ATF-II
Fuso ATF-SPIII
Fuso ATF-A4
GM9986195 (Aisin AW, JWS 3309)
GM TASA
GM DEXRON®-II
GM DEXRON®-IID
GM DEXRON®-IIE
GM DEXRON®-IIIG
GM DEXRON®-IIIH
GM DEXRON®-VI License # J-60195
GM/GMC/Opel/Saturn AW1
GM/GMC/Opel/Saturn 88863400
GM/GMC/Opel/Saturn 88863401
Hino Blue Ribon ATF
Honda ATF-Z1 (except in CVTs)
Honda DW-1
Hyundai/Kia SP-IV
Hyundai/Kia SP-IV M (SP4-M)
Hyundai/Kia SP-IV-RR
Hyundai/Kia SP-III
Hyundai/Kia Dex-II/ SP-II
Hyundai/Kia JWS 3314
Hyundai/Kia NWS 9683
Hyundai/Kia 040000C90SG
ISUZU BESCO ATF-II
ISUZU BESCO ATF-III
ISUZU BESCO ATF SP
ISUZU SCS Fluid
Jaguar ATF 3403-M115
Jaguar ATF LT71141, ZF 5HP24
Jaguar ATF 3403, JLM20238
JASO M315-2013 1A



**ADVANCED
LUBRICATION
SPECIALTIES**
ISO 9001:2008 Registered

PRODUCT INFORMATION

JASO M315-2013 1A-LV
JASO M315-2013 2A
JEEP ATF+3, +4
KIA ATF SP-II, SP-III, SP-IV, SP-IVM, Red 1
Lexus JWS 3309
Mazda ATF D-II
Mazda ATF M-III
Mazda ATF M-V
Mazda ATF FZ
Mazda ATF F-1
Mazda ATF S-1
Mazda ATF N-1
MAZDA ATF 3317
MINI COOPER T-IV
Mitsubishi Diaqueen SK
Mitsubishi Diaqueen SP-II
Mitsubishi Diaqueen SP-III
Mitsubishi Diaqueen AW
Mitsubishi Diaqueen J2
Mitsubishi Diaqueen J3
Mitsubishi Diaqueen ATF PA
NAG 1 (Chrysler, Jeep, Cherokee)
Nissan Matic Fluid C
Nissan Matic Fluid D
Nissan Matic Fluid J
Nissan Matic Fluid K
Nissan Matic Fluid S
Opel (all vehicles)
Peugeot ZF 4HP20
Porsche ZF 5HP19FL, ZF 5HP20, LT71141
Porsche ATF 3403-M115,
Porsche T-IV (JWS 3309)
Renault Samsung SATF-D
Saab T-IV (JWS 3309)
Saab 93 165 147



**ADVANCED
LUBRICATION
SPECIALTIES**
ISO 9001:2008 Registered

PRODUCT INFORMATION

Saturn T-IV (JWS 3309)
Scion (all vehicles)
Shell 3403, M115, LA 2634
Subaru ATF
Subaru ATF 5AT
Subaru DEXRON®-II
Subaru ATF, ATF HP
Suzuki AT OIL 5D06
Suzuki ATF 2326
Suzuki ATF 2384K
Suzuki JWS 3309
Suzuki ATF 3314
Suzuki ATF 3317
Texaco 7045-E
Texaco 8072B
Texaco N402
Toyota ATF D-II
Toyota ATF D-III
Toyota ATF T-III
Toyota ATF T-IV
Toyota ATF WS
Vickers M2950-S, I-286-S
Voith H55.6335.xx (G607)
Volvo CE 97340
VW 5 HP (ZF 5 HP 30)
VW 5HP (18FL, 30)
VW 5HP (19FL, 24A)
VW G 055 025 A2 (JWS 3309)
VW G 052 162 (ZF Lifeguardfluid 5)
VW TL 521 62
ZF all 3 & 4 speed transmission
ZF TE-ML 09
ZF TE-ML 11 – Lubriguard6

Not to be used for DCT or CVT applications. MERCON® V and SP not supported.

This claim set cancels and supersedes all previous claim sets prior to 10/1/2016.